

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) A mobile communication system comprising a base station and a terminal,

the base station ~~allowing~~ being operable to transmit a downlink signal ~~to include not only that includes~~ a base station ID number indicating the identity of the base station ~~but also an and~~ a specific use identification signal ~~for specific use indicating that indicates~~ the base station is for specific use ~~and sending the downlink signal~~, and

the terminal comprising a memory that stores a list of base station ID numbers of an accessible base station or an inaccessible base station, ~~the list including every~~ specific use identification signal ~~for specific use~~, and ~~searching the terminal being operable to search~~ whether or not the base station ID number in the received downlink signal is in the list of base station ID number ~~every the detected identification signal for specific use in the memory when numbers and~~ whether the ~~identification signal for specific use~~ identification signal detected from the downlink signal is ON and performing communication with the base station only when the access is permissible.

2. (Currently Amended) A mobile communication system according to claim 1, wherein the base station ~~allows the identification signal for~~ is operable to include the specific use identification signal to be included in a transmitted downlink common channel ~~and sends the signal~~.

3. (Currently Amended) A mobile communication system according to claim 1, further comprising a mobile communication network connected to the base station,

wherein the base station periodically sends information indicating whether or not the ~~identification signal for specific use~~ identification signal is sent, and

the mobile communication network sends the information to a database for storing the information.

4. (Currently Amended) A mobile communication system according to claim 3, wherein the mobile communication network comprises a discount rate calculation unit that calculates a charge discount rate of a user of the base station on the basis of ~~using~~ whether the user has used information on the base station stored in the database.

5. (Currently Amended) A mobile communication system according to claim 4, wherein the discount rate calculation unit increases the charge discount rate of the user of the base station as the total time for sending the ~~identification signal for specific use~~ identification signal is short or as the ~~using~~ usage time or the amount of using packet of a general user other than the user of the base station is larger.

6. (Currently Amended) A base station in a mobile communication system, the mobile communication system comprising the base station and a terminal,

the base station ~~allowing being operable to transmit~~ a downlink signal ~~to include not only that includes~~ a base station identification number indicating the identity of the base station ~~but also an a specific use~~ identification signal for specific use ~~indicating that indicates that~~ the base station is for specific use, ~~and sending the downlink signal,~~

the terminal comprising a memory that stores a list of base station identification ~~number~~ numbers of an accessible base station or an inaccessible base station, the list including every the specific use ~~identification signal for specific use~~, and ~~searching the terminal being operable to search~~ whether or not the base station ~~[[ID]]~~ identification number in the received downlink signal is in the list of base station ~~ID number every the detected identification signal for specific use in the~~

~~memory when the identification signal for~~ identification numbers and whether the specific use identification signal detected from the downlink signal is ON and performing communication with the base station only when ~~the access is~~ [[OK]] permissible, and

the base station comprising an identification signal generation unit that generates the specific use identification signal ~~for specific use~~ and a modulation unit that allows the generated specific use identification signal ~~for specific use~~ and the base station identification signal to be included in the downlink signal and sends the downlink signal.

7. (Currently Amended) A base station according to claim 6, wherein the base station allows the specific use identification signal ~~for specific use~~ to be included in a downlink common channel and sends the signal.

8. (Currently Amended) A base station according to claim 6, further comprising  
an input unit that inputs whether or not a resource of the base station is to be occupied,  
wherein the identification signal generation unit generates the specific use identification signal ~~for specific use~~ on the basis of an input result of the input unit indicating that the resource of the base station is to be occupied.

9. (Currently Amended) A terminal in a mobile communication system, the mobile communication system comprising a base station and the terminal,

the base station ~~allowing being operable to transmit~~ a downlink signal ~~to include not only that includes~~ a base station identification number indicating the identity of the base station ~~but~~

~~also an~~ a specific use identification signal ~~for specific use indicating that indicates that~~ the base station is for specific use, ~~and sending the downlink signal,~~

the terminal comprising:

a memory that stores a list of base station identification number of an accessible base station or an inaccessible base station, the list including every specific use identification signal ~~for specific use~~; and

a determination unit that searches whether or not the base station ID number in the received downlink signal is in the list of base station ~~[[ID]]~~ identification numbers ~~number every the detected identification signal for specific use in the memory when~~ and whether the specific use identification signal ~~for specific use~~ detected from the downlink signal is ON and performs communication with the base station only when the access is ~~[[OK]]~~ permissible.